

FORM PCT/100  
(REV. 9/2001)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

**TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371**

**GIC-576**

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.52)

**09/980744**

INTERNATIONAL APPLICATION NO.

INTERNATIONAL FILING DATE

PRIORITY DATE CLAIMED

**PCT/US00/07980**

**24 March 2000**

**21 May 1999**

TITLE OF INVENTION **SOFTWARE ARCHITECTURE FOR A TELEVISION SET-TOP TERMINAL**

**PROVIDING COMPATIBILITY WITH MULTIPLE OPERATING ENVIRONMENTS**

APPLICANT(S) FOR DO/EO/US

**Jack M. BIRNBAUM, Chris DEL SORDO and  
Robert GAZDA**

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
  - a. ☐ is attached hereto (required only if not communicated by the International Bureau)
  - b. ☐ has been communicated by the International Bureau.
  - c. ☒ is not required, as the application was filed in the United States Receiving Office (RO/US)
6. ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2))
  - a. ☐ is attached hereto.
  - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4)
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
  - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
  - b. ☐ have been communicated by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). **Two (2) Declarations - one signed by inventors Birnbaum and Del Sordo and the second signed by inventor Gazda**
10. ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5))

**Items 11 to 20 below concern document(s) or information included:**

11. ☐ An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98.
12. ☒ Two (2) Assignment documents for recording. Separate cover sheets in compliance with 37 CFR 3.28 and 3.31 are included.
13. ☐ A FIRST preliminary amendment.
14. ☐ A SECOND or SUBSEQUENT preliminary amendment.
15. ☐ A substitute specification.
16. ☐ A change of power of attorney and/or address letter.
17. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
18. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
19. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
20. ☒ Other items or information:
  - a. **Express Mail Certificate**
  - b. **Patent Application Data Entry Form - 2 sheets**
  - c. **Patent application specification, including Abstract and claims 25 pages (incorporates title and abstract as amended by the International Searching Authority)**
  - d. **One (1) sheet of formal drawing, together with separate transmittal letter**

0980744-11501

U.S. APPLICATION NO. (37 CFR 1.5) <b>097980744</b>	INTERNATIONAL APPLICATION NO. <b>PCT/US00/07980</b>	ATTORNEY'S DOCKET NUMBER <b>GIC-576</b>
-------------------------------------------------------	--------------------------------------------------------	--------------------------------------------

21. <input checked="" type="checkbox"/> The following fees are submitted: <b>BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)):</b> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO. .... <b>\$1040.00</b>  International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... <b>\$890.00</b>  International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... <b>\$740.00</b>  International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... <b>\$710.00</b> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) ..... <b>\$100.00</b>  <b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>	<b>CALCULATIONS PTO USE ONLY</b>																									
<b>Surcharge of \$130.00 for furnishing the oath or declaration later than</b> <input type="checkbox"/> 20 <input type="checkbox"/> 30 <b>months from the earliest claimed priority date (37 CFR 1.492(e)).</b>	<b>\$ 100.00</b>																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 20%;">CLAIMS</th> <th style="width: 20%;">NUMBER FILED</th> <th style="width: 20%;">NUMBER EXTRA</th> <th style="width: 20%;">RATE</th> <th style="width: 20%;"></th> </tr> <tr> <td>Total claims</td> <td>30 - 20 =</td> <td>10</td> <td>x \$18.00</td> <td>\$ 180.00</td> </tr> <tr> <td>Independent claims</td> <td>2 - 3 =</td> <td>0</td> <td>x \$84.00</td> <td>\$ ---</td> </tr> <tr> <td colspan="4">MULTIPLE DEPENDENT CLAIM(S) (if applicable)</td> <td>+ \$280.00</td> </tr> <tr> <td colspan="4"><b>TOTAL OF ABOVE CALCULATIONS =</b></td> <td><b>\$ 280.00</b></td> </tr> </table>	CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		Total claims	30 - 20 =	10	x \$18.00	\$ 180.00	Independent claims	2 - 3 =	0	x \$84.00	\$ ---	MULTIPLE DEPENDENT CLAIM(S) (if applicable)				+ \$280.00	<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$ 280.00</b>	<b>\$ ---</b>
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE																							
Total claims	30 - 20 =	10	x \$18.00	\$ 180.00																						
Independent claims	2 - 3 =	0	x \$84.00	\$ ---																						
MULTIPLE DEPENDENT CLAIM(S) (if applicable)				+ \$280.00																						
<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$ 280.00</b>																						
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.	<b>SUBTOTAL =</b>																									
<b>Processing fee of \$130.00 for furnishing the English translation later than</b> <input type="checkbox"/> 20 <input type="checkbox"/> 30 <b>months from the earliest claimed priority date (37 CFR 1.492(f)).</b>	<b>\$ 280.00</b>																									
<b>TOTAL NATIONAL FEE =</b>	<b>\$ 280.00</b>																									
<b>Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be</b> <b>accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +</b>	<b>\$ 80.00</b>																									
<b>TOTAL FEES ENCLOSED =</b>	<b>\$ 360.00</b>																									
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Amount to be refunded:</td> <td style="width: 20%;">\$</td> </tr> <tr> <td>charged:</td> <td>\$</td> </tr> </table>	Amount to be refunded:	\$	charged:	\$																					
Amount to be refunded:	\$																									
charged:	\$																									

a. ☒ A check in the amount of \$ 360.00 to cover the above fees is enclosed.

b. ☐ Please charge my Deposit Account No. \_\_\_\_\_ in the amount of \$ \_\_\_\_\_ to cover the above fees.  
 A duplicate copy of this sheet is enclosed.

c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any  
 overpayment to Deposit Account No. 50-0625. A duplicate copy of this sheet is enclosed.


d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card**  
**information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

**NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.**

SEND ALL CORRESPONDENCE TO:

**Barry R. Lipsitz**  
**Law Offices of Barry R. Lipsitz**  
**755 Main Street, Building No. 8**  
**Monroe, CT 06468**  
**(203) 459-0200**  
**Date: 15 November 2001**

  
 SIGNATURE  
**Barry R. Lipsitz**  
 NAME  
**28,637**  
 REGISTRATION NUMBER

**Express Mail No. EL 827 617 411 US**

097980744-11

SOFTWARE ARCHITECTURE FOR A TELEVISION SET-TOP TERMINAL PROVIDING COMPATIBILITY WITH  
MULTIPLE OPERATING ENVIRONMENTS

**BACKGROUND OF THE INVENTION**

5           This application claims the benefit of U.S.  
Provisional Application No. 60/135,221, filed May 21,  
1999.

          The present invention provides a software  
architecture that enables core software of a television  
10   set-top terminal to be compatible with different  
operating environments.

          The recent advent of digital set-top terminals has  
spurred the growth of subscriber television networks,  
such as cable/satellite television networks. Such  
15   terminals can support increased levels of programming  
services and a variety of software-based applications  
and functions, such as an electronic program guide,  
stock or weather banners, shop and bank at home  
services, games, and the like. Moreover, this trend is  
20   expected to continue with the convergence of telephone,  
television and computer networks, and the rise of in-  
home computer networks.

          A digital set-top box (e.g., subscriber terminal)  
for cable or satellite television, or the like, requires  
25   OS software, middleware and device drivers to function.

          OS software provides the multithreading, real-time  
OS support needed to operate the set-top.

          Middleware is software that connects two otherwise

separate applications. For example, such middleware can be provided to mediate between an application program and a network, thereby managing the interaction between disparate applications across heterogeneous computing  
5 platforms. More generally, middleware serves as the glue between separate applications, and is sometimes referred to as "plumbing" because it connects two sides of an application and passes data between them.

Moreover, drivers are used to control different  
10 hardware devices in a terminal, such as tuners, demodulators, MPEG-2 decoders (e.g., audio, video, and data), video encoders, audio mixers, and so forth.

In a set-top box, "core software" is provided that allows the set-top to provide such necessary television  
15 functions as service acquisition, system information (SI) management, download capability (e.g., for new application and OS software), return path communication (e.g., for polling the set-top for billing purposes), set-top configuration, and conditional access control  
20 (i.e., security).

In the past, each set-top has only been designed to use one particular operating environment. The problem of handling multiple operating environments has not previously been addressed in the set-top environment.  
25 Generally, applications have been ported to various operating environments either through rewrite of the set-top system software to that environment or through an abstraction layer.

Accordingly, it would be advantageous to enable a  
30 choice of different operating environments on a set-top without the need to change the core set-top system software. This would enable the reuse of a single set-

top design for multiple operating environments. It would also enable faster implementation of alternate operating software environments, permitting a faster time to market new set-top devices.

5 In particular, it would be desirable to have a software architecture that allows a customer, such as a cable television system operator, to choose the operating environment, including the OS kernel, middleware and application software, and device drivers,  
10 that will be used in the set-top. The core set-top system software should allow the device to operate within a common system environment. The architecture should allow for the development of the core software, and then implementation of the architecture in any of a  
15 plurality of different operating environments, such as VRTX, Windows CE, AperiOS, PowerTV and other set-top operating environments.

The architecture should be suitable for terminals that receive programming services via any type of  
20 network, including broadband communications networks, Digital Subscriber Loop (DSL) networks, and others.

The present invention provides a software architecture that enjoys the aforementioned and other advantages.

## SUMMARY OF THE INVENTION

In accordance with the present invention, a software architecture is provided to enable core software of a set-top device to operate in any of a plurality of different operating environments.

In a particular embodiment, an apparatus for providing a software architecture for implementing a television subscriber terminal includes a computer readable medium having computer program code means, and means for executing the computer program code means to implement a layered software architecture. The architecture includes: a first, hardware layer, a second, device driver layer, a third, device driver interface layer, a fourth layer with the core system software for providing television functions, and a kernel abstraction function, a fifth layer for middleware porting, and a sixth layer providing middleware to interface with at least one application program (at a seventh layer).

The kernel abstraction layer and the device driver interface layer enable the core system software to operate in different operating environments. Moreover, an operating system (OS) kernel is provided at the fourth and fifth layers.

The architecture further includes a software interface between the core system software and the fifth layer that enables the core system software to operate in the different operating environments.

The television functions of the core system software include one or more of: message reception and distribution, system information processing, terminal

configuration, terminal control message processing, service acquisition, conditional access control, download capability, return path communication, and diagnostic data management.

5           Moreover, the television functions may include conditional access services, including one or more of: object authentication, object authorization, resource authorization, baseline privacy key exchange services, and cryptographic functions.

10           A corresponding method is also presented.

2000/07/24 14:00:00

## BRIEF DESCRIPTION OF THE DRAWING

The Figure depicts a television subscriber terminal architecture in accordance with the invention.



## DETAILED DESCRIPTION OF THE INVENTION

The Figure illustrates a software platform, or architecture, for implementing a set-top box in accordance with the present invention. The platform can be implemented using any suitable operating system, such as the VRTX (virtual real-time executive) operating system available from Mentor Graphics Corporation of Wilsonville, Oregon, Windows CE available from Microsoft Corporation of Redmond, Washington, AperiOS available from Sony Corporation of New York, N.Y., PowerTV available from PowerTV, Inc. of Cupertino, CA, etc.

The architecture can be considered to include three main levels, including a lower level (functions 30, 32 and 34) related to hardware and device driver functions, a middle level (functions 14, 16, 18, 20, 22, 24 and 26) related to the core set-top software, and a high level (functions 10, 12) related to middleware and applications.

Specifically, the top level of the software structure comprises one or more application programs 10 which can comprise, for example, the Digital Television (DTV) navigator application (available from Liberate Technologies of San Carlos, California), interactive games, enhanced television features, Internet web browsers, etc. These applications need to communicate with the core set-top system software 20. This communication is accomplished with the middleware/application interface 12, the middleware porting layer 14, and the software interface 26.

The next layer in the software structure comprises

middleware/application interface APIs (application program interfaces) 12. This layer 12 is part of the operating environment (i.e., it is OS-specific), and provides the interface to the application program(s) 10 which execute in the set-top (e.g., cable set-top hardware 34). The layer 12 provides facilities for applications to use and control the set-top box resources, and to coexist with other applications. The layer 12 also provides the environment in which the applications execute. Layer 12 also provides the API to which applications are written, providing an authoring environment. Moreover, this layer 12 handles the issues of shared resources, multiple applications, application selection, application launch and application termination. Preferably, it provides a consistent interface to the end user.

A middleware porting layer 14, e.g., for cable, DSL or other television services, is provided to translate the television, graphics and communication interfaces 20, 22 and 24, respectively, to the particular functional interface required by a middleware software component and specified by the middleware provider/vendor. Middleware providers often specify an interface on which their software has been tested and proven. This layer 14, which is also part of the operating environment, allows portability of the middleware solution to the set-top in an expedient manner. More specifically, the layer 14 allows the core set-top system software 20 to remain the same while allowing different middleware layers to execute.

An operating system (OS) kernel 16 is provided at the levels of the middleware porting layer 14 and the

core set-top system software 20, the graphics, audio, video subsystem 22 and the network communication stacks 24. This kernel 16 can comprise, for example, a MIPS (million instructions per second) port of the VRTX  
5 kernel version 4.0, available from the Microtec division of Mentor Graphics Corporation for the Motorola 68000 family of microprocessors. This kernel 16 provides the multithreading, real time OS support needed to operate the set-top. The OS kernel 16, together with the  
10 middleware porting layer 14 and middleware/application interface APIs 12, and the device drivers are components of the operating environment. More particularly, the OS kernel 16 provides OS facilities such as multitasking, inter-task communication, synchronization, and memory  
15 management. These facilities are used to create tasks, set task priorities, communicate between tasks, and synchronize operation of the system tasks and application tasks.

A kernel abstraction component 18 in accordance  
20 with the present invention provides generic kernel functions needed by the other components. In particular, component 18 abstracts these functions from the specifics of the OS kernel 16. The kernel abstraction component 18 includes two sections, namely,  
25 (i) the kernel calls used by the components, and (ii) the kernel-specific translations. Some of the supported kernel features are implemented in a fashion that is independent of the underlying kernel.

In accordance with the present invention, the  
30 kernel abstraction component 18 separates the details of the OS kernel from the core set-top system software 20, and is used to isolate the core system software from the

specifics of an OS kernel implementation. In this manner, portability of the core software 20 between operating environments is provided. The OS kernel abstraction 18 provides standard types of OS services in a generic way to the core system software 20. These services include, e.g., messaging, thread operations, memory management, synchronization, and event management.

The core set-top system software 20 contains support for the television system features. For example, this software can be written to support the DigiCipher® II digital television system features. DigiCipher® II is a proprietary system developed by General Instrument Corporation of Horsham, Pennsylvania, U.S.A., the assignee hereof. This system includes features that are specific to the cable television environment for downstream and upstream communications. The features supported by the core set-top system software 20 include, without limitation, service acquisition (e.g., acquisition of a pay-per-view movie), system information management, set-top configuration and control, return path for polling, download capability including authentication and authorization, and non-volatile memory management.

The core set-top system software 20 also includes conditional access system drivers (CABIOS), which are used to provide security and access control. This component supports the features of object authentication, object authorization, resource authorization, cryptographic tool kit, and baseline privacy key exchange. The interface layer for the cryptographic tool kit (Crypto Toolkit) is the Public

Key Cryptography Standards (PKCS) 11 standard.

More specifically, the core set-top system software 20 provides the services that allow the set-top to exist in a communication (e.g., cable television) network. As noted above, the functions of this software include:

**Message reception and distribution** - This software component receives messages over a control channel or through an in-band channel, and distributes them to the appropriate software process for interpretation and processing.

**System information processing** - This component interprets the System Information provided by the protocol (e.g., Advanced Television Systems Committee (ATSC), or Digital Video Broadcast (DVB) standard) specifying the Modulation Type, Channel Map, Service Maps, Service Descriptions, Service Components. This information allows the software to find, reconstruct and deliver the service to the user or application.

**Configuration and control message processing** - This component interprets the configuration and control messages sent to the set-top from, e.g., a cable headend controller. This information is used to provision a set-top to operate within the cable television system or other applicable network. The component sets up the set-top's features and provides the ability to control the set-top operation remotely by the system operator.

**Digital and analog service acquisition** - This component performs all of the necessary functions to 'tune' a video/audio service to be presented to the television viewer.

**Conditional access subsystem** - this component

authorizes services and applications. Video services are delivered to the set-top in an encrypted form. The Conditional Access (CA) system compares authorization information about the service with authorization information that is delivered to the set-top. When a service is deemed authorized, the CA system enables the decryption of that service.

**Download subsystem** - this component acquires software objects from the cable or other applicable network and stores them in the set-top's memory. These objects may include, e.g., software suites or applications. The download subsystem determines if it is authorized to accept the object and, if it is, then processes and stores each segment of the object. Once the object is stored, it is validated and can then be enabled to execute either from, e.g., the headend control, or by the operating system.

**Return path subsystem** - This component collects purchase and diagnostic information and transmits it back to the headend (or other appropriate system operator site) upon command. This information is ultimately sent to a billing system to enable billing of services used by the set-top. The return path can be a store-and-forward mechanism or an on-demand interactive mechanism.

**Diagnostic Data management subsystem** - This component collects and manages data which can be used to diagnose the state of the set-top, allowing for remote determination of the operation and health of the set-top software. This data is made available to the OS for display to the user or installer. It is also made

available to the return path subsystem for collection by a computer at the system operator's site (e.g., at a cable headend).

- 5       The CABIOS (Conditional Access Basic Services) provides conditional access services above the normal service access control, including:

10       **Object Authentication** - This function authenticates a software object to determine that the object is the intended object. Such authentication is accomplished, for example, by matching a signature delivered with the object.

15       **Object Authorization** - This function authorizes objects to be loaded and executed in the set-top. It uses the conditional access hardware to determine the authorization status of the set-top.

**Resource Authorization** - This function authorizes the use of set-top resources through the conditional access hardware.

20       **Baseline Privacy Key Exchange Services** - These functions support the key exchange requirements of the Cable modem system, which may conform to the Data-Over-Cable Service Interface Specifications (DOCSIS).

25       **Cryptographic Functions** - These functions provide a basic cryptographic toolkit for use by the application operating system and applications within the set-top. As indicated above, a typical cryptographic tool set follows the PKCS 11 standard, although other standards can be used.

30       The graphics, audio and video subsystem 22 includes, in a preferred embodiment, two-dimensional (2D), three-dimensional (3D), and video libraries

working on top of a graphics display driver. Such display drivers are commonly available from various vendors such as ATI Technologies Inc. of Thornhill, Ontario, Canada. Subsystem 22 provides a standard API to which middleware providers can be ported, and enables video to be viewed combined with graphics. More particularly, the analog or digital video is combined with a graphics overlay to present a combined view to the user. This subsystem 22 also provides audio, which can exist in multiple modes, such as stereo and surround sound. The audio subsystem can also support record and playback of audio files.

The network communications stacks 24 provide standardized networking stacks to facilitate web browsing and communications with external devices. This subsystem 24 includes many standardized network protocols which can be delivered over multiple communications paths. The stacks can comprise, for example, Mentor/Microtec's CNX communications extension to the VRTX operating system, available from Mentor Graphics Corporation of Wilsonville, Oregon.

This subsystem 24 resides on top of the communications drivers (e.g., Ethernet and DOCSIS drivers) and provides, for example, a Berkeley sockets (Berkeley Software Design, Inc.) interface to protocols such as Transmission Control Protocol (TCP)/Internet Protocol (IP) (e.g., a TCP/IP interface over a DOCSIS modem or over an Ethernet device), User Datagram Protocol (UDP), Address Resolution Protocol (ARP), Internet Control Message Protocol (ICMP), Dynamic Host Configuration Protocol (DHCP) Client, Domain Name System (DNS) Client, and Point-to-Point Protocol (PPP) (dial-up



uses CCP, Link Control Protocol (LCP) and Internet Protocol Control Protocol (IPCP) protocols).

For the set-top hardware 34 to operate the set-top box for its intended functions, various drivers must be provided, as well known in the art. These are depicted in the Figure as low level device drivers 32, which, in accordance with the present invention, are interfaced to a driver model used by the core set-top system software 20 via device drivers-to-driver model interface 30.

The interface 30 separates the details of the driver model environment from the core system software 20. The interface 30 is used to isolate the device drivers 32 from the specifics of the driver model provided by the operating environment. The low level device driver software 32 is hardware-specific and portable across operating environments. The driver model interface 30 ties the hardware-specific device driver 32 to the OS by providing the OS's desired interface to the driver.

Device drivers are provided for each device supported on the set-top. These include a graphics driver, which may be written, e.g., on an ATI Hardware Access Provider (HAP) layer available from ATI Technologies, Inc. A graphics library for use in the set-top can be written on the HAP. Other typical set-top device drivers include a communications driver, the tuner (e.g., a combination of the General Instrument DOCSIS tuner and Quadrature Amplitude Modulation (QAM) code), serial ports (using, e.g., an IEEE 1394 high performance serial bus), parallel ports, Ethernet ports, Universal Serial Bus (USB) ports, Light-Emitting Diodes (LEDs), Keypad and/or Keyboard drivers, a DOCSIS driver,

such as the Broadcom DOCSIS driver available from  
Broadcom Corporation of Irvine, California, U.S.A., and  
a smart card driver. A smart card may be used in the  
set-top for consumer purchasing applications such as on-  
5 line buying. Each device in the set-top requires a  
driver function to operate.

It should now be appreciated that the present  
invention solves the problem of enabling core set-top  
software to be compatible with multiple set-top  
10 operating environments. With the software architecture  
provided by the invention, it is not necessary to port  
the core software to different operating environments by  
rewriting code specific to each environment or through  
an abstraction layer. Instead, a unique device drivers-  
15 to-driver model interface is provided together with a  
kernel abstraction component that overcomes portability  
issues and provides for a clean interface between layers  
in the architecture. The invention can be implemented  
using object oriented techniques, such as C++ or Java  
20 programming, although the invention is by no means  
limited to such an implementation.

The combination of the components described herein  
provides a basis for set-top software to enable advanced  
features of an advanced set-top box implementation.  
25 Each of the components provides necessary functions  
required by an advanced set-top terminal. The novel  
architecture of the invention provides the benefits of  
reuse and portability of the core set-top software to  
alternate operating environments, thereby allowing well-  
30 understood and previously tested software components to  
be reused. The architecture also allows implementations  
in alternate operating environments to be quickly and

straightforwardly provided.

Although the invention has been described in connection with various specific implementations, it should be appreciated that various adaptations and

5    modifications can be made thereto without departing from  
the scope of the invention as set forth in the claims.

What is claimed is:

1. An apparatus for providing a software architecture for implementing a television subscriber terminal, comprising:
  - a computer readable medium having computer program code means; and
  - means for executing said computer program code means to implement a layered software architecture including:
    - a first layer supporting hardware of the terminal;
    - a second layer comprising at least one device driver;
    - a third layer comprising an interface for the at least one device driver;
    - a fourth layer comprising core system software for providing television functions;
      - said fourth layer also including a kernel abstraction function which, together with said third layer, enables said core system software to operate in different operating environments;
    - a fifth layer for middleware porting;
    - an operating system kernel at said fourth and fifth layers; and
    - a sixth layer providing middleware to interface with at least one application program.
2. The apparatus of claim 1, wherein:
  - an operating environment comprises said middleware, middleware porting, and operating system kernel.
3. The apparatus of claim 1, wherein:

an operating environment comprises said middleware, middleware porting, operating system kernel, and device driver.

4. The apparatus of claim 1, wherein:

an operating environment comprises said middleware, middleware porting, operating system kernel, device driver, and application program.

5. The apparatus of claim 1, wherein:

the television subscriber terminal receives television signals via a broadband communication network.

6. The apparatus of claim 1, wherein the television functions include at least one of:

message reception and distribution;  
system information processing;  
terminal configuration;  
terminal control message processing;  
service acquisition;  
conditional access control;  
download capability;  
return path communication; and  
diagnostic data management.

7. The apparatus of claim 1, wherein the television functions include conditional access services, including at least one of:

object authentication;  
object authorization;  
resource authorization;

baseline privacy key exchange services; and cryptographic functions.

8. The apparatus of claim 1, wherein:  
the kernel abstraction function provides kernel calls and kernel-specific translations for the operating system kernel.

9. The apparatus of claim 1, wherein:  
the kernel abstraction function isolates the core system software from portions of the operating system kernel that are specific to an operating environment.

10. The apparatus of claim 1, wherein:  
the interface for the at least one device driver isolates the core system software from portions of the device driver that are specific to an operating environment.

11. The apparatus of claim 1, wherein:  
the operating system kernel provides multi-threading, real-time operating system support needed to operate the terminal.

12. The apparatus of claim 1, wherein:  
the operating system kernel provides facilities for the terminal that are specific to an operating environment, including at least one of: multi-tasking, inter-task communication, messaging, synchronization, memory management, and event management.

13. The apparatus of claim 1, wherein:

the architecture further includes a software interface between the core system software and the fifth layer that enables said core system software to operate in the different operating environments.

14. The apparatus of claim 13, wherein:  
the software interface isolates the core system software from portions of the middleware and middleware porting that are specific to an operating environment.

15. The apparatus of claim 13, wherein:  
the software interface isolates the core system software from portions of the application program that are specific to an operating environment.

16. A method for providing a software architecture for implementing a television subscriber terminal, comprising the steps of:

- providing a computer readable medium having computer program code means; and
- executing said computer program code means to implement a layered software architecture including:
  - a first layer supporting hardware of the terminal;
  - a second layer comprising at least one device driver;
  - a third layer comprising an interface for the at least one device driver;
  - a fourth layer comprising core system software for providing television functions;
  - said fourth layer also including a kernel abstraction function which, together with said third layer, enables said core system software to operate in

different operating environments;  
a fifth layer for middleware porting;  
an operating system kernel at said fourth and fifth layers; and  
a sixth layer providing middleware to interface with at least one application program.

17. The method of claim 16, wherein:  
an operating environment comprises said middleware, middleware porting, and operating system kernel.

18. The method of claim 16, wherein:  
an operating environment comprises said middleware, middleware porting, operating system kernel, and device driver.

19. The method of claim 16, wherein:  
an operating environment comprises said middleware, middleware porting, operating system kernel, device driver, and application program.

20. The method of claim 16, wherein:  
the television subscriber terminal receives television signals via a broadband communication network.

21. The method of claim 16, wherein the television functions include at least one of:  
message reception and distribution;  
system information processing;  
terminal configuration;  
terminal control message processing;



service acquisition;  
conditional access control;  
download capability;  
return path communication; and  
diagnostic data management.

22. The method of claim 16, wherein the television functions include conditional access services, including at least one of:

object authentication;  
object authorization;  
resource authorization;  
baseline privacy key exchange services; and  
cryptographic functions.

23. The method of claim 16, wherein:  
the kernel abstraction function provides kernel calls and kernel-specific translations for the operating system kernel.

24. The method of claim 16, wherein:  
the kernel abstraction function isolates the core system software from portions of the operating system kernel that are specific to an operating environment.

25. The method of claim 16, wherein:  
the interface for the at least one device driver isolates the core system software from portions of the device driver that are specific to an operating environment.

26. The method of claim 16, wherein:

the operating system kernel provides multi-threading, real-time operating system support needed to operate the terminal.

27. The method of claim 16, wherein:  
the operating system kernel provides facilities for the terminal that are specific to an operating environment, including at least one of: multi-tasking, inter-task communication, messaging, synchronization, memory management, and event management.

28. The method of claim 16, wherein:  
the architecture further includes a software interface between the core system software and the fifth layer that enables said core system software to operate in the different operating environments.

29. The method of claim 28, wherein:  
the software interface isolates the core system software from portions of the middleware and middleware porting that are specific to an operating environment.

30. The method of claim 28, wherein:  
the software interface isolates the core system software from portions of the application program that are specific to an operating environment.

1/1




FIG. 1

# DECLARATION, POWER OF ATTORNEY, AND PETITION

Attorney Docket No.: GIC-576  
Page 1 of 2

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

## SOFTWARE ARCHITECTURE FOR A TELEVISION SET-TOP TERMINAL PROVIDING COMPATIBILITY WITH MULTIPLE OPERATING ENVIRONMENTS

the specification of which is attached hereto unless the following box is checked:

[ X ] was filed on **March 24, 2000** as PCT International Application Number **PCT/US00/07980** and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to be material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate or of any PCT international application having a filing date before that of the application on which priority is claimed:

(Number)	(Country)	Month/Day/Year Filed	Priority Claimed
			[ ] [ ]
			Yes No
(Number)	(Country)	Month/Day/Year Filed	[ ] [ ]
			Yes No

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below.

**60/135,221**

**May 21, 1999**

(Application Number)

(Filing Date) - Month/Day/Year

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application  
or PCT Parent Number

Parent Filing Date  
(MM/DD/YYYY)

Parent Patent Number  
(if applicable)

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

2

And I hereby appoint: Barry R. Lipsitz, Registration No. 28,637 and Douglas M. McAllister, Registration No. 37,886, of the firm of Barry R. Lipsitz, Attorney at Law, 755 Main Street, Bldg. 8, Monroe, Connecticut 06468, Telephone (203) 459-0200, my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Wherefore I pray that Letters Patent be granted to me for the invention or discovery described and claimed in the foregoing specification and claims, and I hereby subscribe my name to the foregoing specification and claims, declaration, power of attorney, and this petition.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Full name of sole or first inventor:** 1-00 **Jack M. Birnbaum**

Inventor's Signature Jack M. Birnbaum Date: 11/26/01

Residence Southampton Pennsylvania U.S.A. USX  
(City) (State or Foreign Country) Citizenship:

Post Office Address 559 Nicole Drive Southampton, Pennsylvania 18966, U.S.A.  
(Post Office Address) (City) (State & Zip Code/Country)

**Full name of second joint inventor:** 2-00 **Chris Del Sordo**

Inventor's Signature Chris Del Sordo Date: 10/26/01

Residence Souderton Pennsylvania U.S.A. USX  
(City) (State or Foreign Country) Citizenship:

Post Office Address 229 Heatherfield Drive Souderton, Pennsylvania 18964, U.S.A.  
(Post Office Address) (City) (State & Zip Code/Country)

**Full name of third joint inventor:** **Robert Gazda**

Inventor's Signature \_\_\_\_\_ Date: \_\_\_\_\_

Residence Wayne Pennsylvania U.S.A.  
(City) (State or Foreign Country) Citizenship:

Post Office Address 42 Le Forge Court Wayne, Pennsylvania 19087, U.S.A.  
(Post Office Address) (City) (State & Zip Code/Country)

And I hereby appoint: Barry R. Lipsitz, Registration No. 28,637 and Douglas M. McAllister, Registration No. 37,886, of the firm of Barry R. Lipsitz, Attorney at Law, 755 Main Street, Bldg. 8, Monroe, Connecticut 06468, Telephone (203) 459-0200, my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Wherefore I pray that Letters Patent be granted to me for the invention or discovery described and claimed in the foregoing specification and claims, and I hereby subscribe my name to the foregoing specification and claims, declaration, power of attorney, and this petition.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Full name of sole or first inventor:** Jack M. Birnbaum

Inventor's Signature \_\_\_\_\_ Date: \_\_\_\_\_

Residence Southampton Pennsylvania U.S.A.  
(City) (State or Foreign Country) Citizenship: \_\_\_\_\_

Post Office Address 559 Nicole Drive Southampton, Pennsylvania 18966, U.S.A.  
(Post Office Address) (City) (State & Zip Code/Country)

**Full name of second joint inventor:** Chris Del Sordo

Inventor's Signature \_\_\_\_\_ Date: \_\_\_\_\_

Residence Souderton Pennsylvania U.S.A.  
(City) (State or Foreign Country) Citizenship: \_\_\_\_\_

Post Office Address 229 Heatherfield Drive Souderton, Pennsylvania 18964, U.S.A.  
(Post Office Address) (City) (State & Zip Code/Country)

**Full name of third joint inventor:** <sup>3-00</sup> Robert Gazda

Inventor's Signature X IA GA \_\_\_\_\_ Date: X 11/7/01 \_\_\_\_\_

Residence Spring City Pennsylvania U.S.A.  
(City) (State or Foreign Country) Citizenship: USX

Post Office Address 28 Highgate Circle Spring City, Pennsylvania 19475, U.S.A.  
(Post Office Address) (City) (State & Zip Code/Country)